



WHEN YOUR
CONDITIONS ARE
DEMANDING.
DEMAND INTEPLAST
CAN LINERS!

Institutional Commercial Industrial

- HDPE
- LLDPE
- DRAW TUFF®
- VALU-PLUS HDPE

Retail
Hotels/Motels
Government
Food Service
Highway
Hospitals
Building Maintenance
Healthcare
Janitorial
Infectious Waste
Bio-Hazardous Waste
Drum Liners

WHEN IT COMES
TO CAN LINERS
ONE CALL...
ONE SOURCE
INTEPLAST.



INTEPLAST GROUP, LTD.

INTEGRATED BAGGING SYSTEMS DIVISION

HDPE Institutional Trash Can Liners

	Product Name	Thickness (mic)	Capacity (gallon)	Width (inch)	Length (inch)	Bags / Roll	Rolls / Case	Bags / Case	Case/Pallets x layer	Wt./Case (lbs.)	Cases / Pallet	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)	Cs Cube (cubic ft.)
Perforated	EC171806N	6	4	17	18	50	40	2000	8 x 10	9.7	80	10	7.5	0.352
	EC202206N	6	7	20	22	50	40	2000	8 x 10	13.9	80	10	7.5	0.495
	EC2424N	5	7-10	24	24	50	20	1000	10 x 8	7.5	80	17	14	0.318
	EC242406N/K	6	7-10	24	24	50	20	1000	10 x 8	9.1	80	20	15	0.357
	EC2433N	5	12-16	24	33	50	20	1000	10 x 8	10.3	80	17	14	0.374
	EC243306N/K	6	12-16	24	33	50	20	1000	10 x 8	12.5	80	20	15	0.357
Interleaved	S242406N/K	6	7 - 10	24	24	50	20	1000	8 x 8	9.1	64	20	15	0.503
	S242408N/K	8	7 - 10	24	24	50	20	1000	8 x 8	12.3	64	25	19	0.503
	S243306N/K	6	12 - 16	24	33	50	20	1000	8 x 8	12.5	64	20	15	0.494
	S243308N/K	8	12 - 16	24	33	50	20	1000	8 x 8	16.9	64	25	19	0.612
	S303708N	8	20 - 30	30	37	25	20	500	8 x 8	11.9	64	25	19	0.503
	S303710N/K	10	20 - 30	30	37	25	20	500	8 x 8	14.9	64	30	22.5	0.494
	S303713N/K	13	20 - 30	30	37	25	20	500	8 x 8	19.4	64	50	37.5	0.612
	S303716N/K	16	20 - 30	30	37	25	20	500	8 x 8	23.9	64	75	56	0.741
	S334009N	9	33	33	40	25	20	500	8 x 8	16.0	64	30	22.5	0.612
	S334011N/K	11	33	33	40	25	20	500	8 x 8	19.5	64	35	26	0.612
	S334013N/K	13	33	33	40	25	20	500	8 x 8	23.1	64	50	37.5	0.741
	S334016N/K	16	33	33	40	25	10	250	8 x 8	14.2	64	75	56	0.494
	S334017N	17	33	33	40	25	10	250	8 x 8	15.1	64	75	56	0.494
	S366012N	12	55	36	60	25	8	200	8 x 8	13.9	64	50	37.5	0.494
	S366014N	14	55	36	60	25	8	200	8 x 8	16.3	64	60	45	0.612
	S366017N/K	17	55	36	60	25	8	200	8 x 8	19.8	64	75	56	0.589
	S374612N	12	44	37	46	25	10	250	8 x 8	13.7	64	50	37.5	0.612
	S374614N	14	44	37	46	25	10	250	8 x 8	16.0	64	60	45	0.612
	S386012N/K	12	60	38	60	25	8	200	8 x 8	14.7	64	50	37.5	0.589
	S386014N/K	14	60	38	60	25	8	200	8 x 8	17.2	64	60	45	0.589
	S386016N	16	60	38	60	25	8	200	8 x 8	19.4	64	75	56	0.741
	S386017N/K	17	60	38	60	25	8	200	8 x 8	20.9	64	75	56	0.589
	S404810N	10	40-45	40	48	25	10	250	8 x 8	12.9	64	30	22.5	0.503
	S404812N/K	12	40-45	40	48	25	10	250	8 x 8	15.5	64	50	37.5	0.494
	S404814N/K	14	40-45	40	48	25	10	250	8 x 8	18.1	64	60	45	0.612
	S404816N/K	16	40-45	40	48	25	10	250	8 x 8	20.7	64	75	56	0.612
	S404817N/K	17	40-45	40	48	25	10	250	8 x 8	22.0	64	75	56	0.589
	S434812N	12	Glutton	43	48	25	8	200	8 x 8	13.3	64	50	37.5	0.553
	S434814N/K	14	Glutton	43	48	25	8	200	8 x 8	15.5	64	60	45	0.589
	S434816N/K	16	Glutton	43	48	25	8	200	8 x 8	17.8	64	75	56	0.612
	S434817N/K	17	Glutton	43	48	25	8	200	8 x 8	18.9	64	75	56	0.589
	* S334017W	17	33	33	40	25	10	250	8 x 8	15.3	64	75	56	0.553
	* S386018W	18	60	38	60	25	8	200	8 x 8	22.4	64	80	60	0.741
	* S404818W	18	40-45	40	48	25	8	200	8 x 8	18.7	64	80	60	0.741
	* S334019K	19	33	33	40	25	10	250	8 x 8	16.9	64	90	67.5	0.589
	* S334022K	22	33	33	40	25	10	250	8 x 8	19.6	64	100	75	0.589
* S366022K	22	55	36	60	25	6	150	8 x 8	19.1	64	100	75	0.741	
* S386022N/K	22	60	38	60	25	6	150	8 x 8	20.1	64	100	75	0.741	
* S404819K	19	40-45	40	48	25	8	200	8 x 8	19.7	64	90	67.5	0.589	
* S404822N/K	22	40-45	40	48	25	6	150	8 x 8	16.9	64	100	75	0.589	
* S434822N	22	Glutton	43	48	25	8	200	8 x 8	24.3	64	100	75	0.741	
* S434822K	22	Glutton	43	48	25	6	150	8 x 8	18.4	64	100	75	0.589	
Hospital *	S242411RH	11	7 - 10	24	24	50	20	1000	8 x 8	17.2	64	35	26	0.612
	* S243311RH	11	12 - 16	24	33	50	20	1000	8 x 8	23.4	64	35	26	0.741
	* S303716RH	16	20 - 30	30	37	25	20	500	8 x 8	13.6	64	75	56	0.612
	* S334014RH	14	33	33	40	25	10	250	8 x 8	12.5	64	60	45	0.741
	* S404816RH	16	45 - 50	40	48	25	10	250	8 x 8	20.9	64	75	56	0.612

N ~ Natural Film; K ~ Black Film; W ~ White Film
RH ~ Red Hospital Liner with 1 color / 1 side random printing



VALU-Plus HDPE Institutional Trash Can Liners

	Product Name	Thickness (mic)	Capacity (gallon)	Width (inch)	Length (inch)	Bags / Roll	Rolls / Case	Bags / Case	Case/Ptcs x layer	Wt./Case (lbs.)	Cases / Pallet	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)	Cs Cube (cubic ft.)
VALU-Plus	VALH2433N8	7	12 - 16	24	31	50	20	1000	8 x 8	13.8	64	22	15	0.494
	VALH3037N10	9	20 - 30	30	36	25	20	500	8 x 8	13.0	64	30	22.5	0.494
	VALH3037N13	11	20 - 30	30	36	25	20	500	8 x 8	15.9	64	35	26	0.494
	VALH3340N11	10	33	33	39	25	20	500	8 x 8	17.2	64	30	22.5	0.612
	VALH3340N13	11	33	33	39	25	20	500	8 x 8	19.0	64	35	26	0.612
	VALH3340N16	14	33	33	39	25	10	250	8 x 8	12.1	64	60	45	0.494
	VALH3660N12	11	55	36	58	25	8	200	8 x 8	12.3	64	35	26	0.376
	VALH3660N14	12	55	36	58	25	8	200	8 x 8	13.5	64	50	37.5	0.494
	VALH3660N16	14	55	36	58	25	8	200	8 x 8	15.8	64	60	45	0.741
	VALH3860N14	12	60	38	58	25	8	200	8 x 8	14.2	64	50	37.5	0.494
	VALH3860N16	14	60	38	58	25	8	200	8 x 8	16.6	64	60	45	0.589
	VALH3860N22	19	60	38	58	25	6	150	8 x 8	16.8	64	90	67.5	0.589
	VALH3860K22	19	60	38	58	25	6	150	8 x 8	16.8	64	90	67.5	0.589
	VALH4048N12	11	40 - 45	40	46	25	10	250	8 x 8	13.6	64	35	26	0.494
	VALH4048N14	12	40 - 45	40	46	25	10	250	8 x 8	14.8	64	50	37.5	0.494
	VALH4048N16	14	40 - 45	40	46	25	10	250	8 x 8	17.4	64	60	45	0.612
	VALH4048K22	19	40 - 45	40	46	25	6	150	8 x 8	14.0	64	90	67.5	0.589
	VALH4348N12	11	Glutton	43	46	25	8	200	8 x 8	11.7	64	35	26	0.494
	VALH4348N14	12	Glutton	43	46	25	8	200	8 x 8	12.8	64	50	37.5	0.494
	VALH4348N16	14	Glutton	43	46	25	8	200	8 x 8	14.9	64	60	45	0.612
VALH4348K22	19	Glutton	43	46	25	6	150	8 x 8	15.1	64	90	67.5	0.589	

LLDPE Institutional Trash Can Liners

	Product Name	Thickness (mil)	Capacity (gallon)	Width (inch)	Length (inch)	Bags / Roll	Rolls / Case	Bags / Case	Case/Ptcs x layer	Wt./Case (lbs.)	Cases / Pallet	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)	Cs Cube (cubic ft.)
Light L	* SL2424LTN/K	0.35	7-10	24	24	50	20	1000	8 x 8	13.5	64	25	20	0.497
	* SL2433LTN/K	0.35	12-16	24	33	50	20	1000	8 x 8	18.5	64	25	20	0.497
	* SL3036LTK	0.35	20-30	30	36	25	10	250	16 x 4	6.3	64	30	22.5	0.300
Medium M	SL3036MDN/K	0.45	20-30	30	36	25	10	250	16 x 4	8.1	64	35	25	0.300
	SL3339MDN/K	0.45	33	33	39	25	10	250	16 x 4	9.7	64	35	25	0.300
	SL3860MDK	0.45	60	38	60	25	8	200	8 x 8	13.7	64	40	30	0.497
	* SL4046MDN/K	0.45	40-45	40	46	25	10	250	8 x 8	13.8	64	40	30	0.497
Heavy H	SL3036HVN/K	0.58	20-30	30	36	25	10	250	16 x 4	10.5	64	40	30	0.300
	SL3339HVN/K	0.58	33	33	39	25	10	250	8 x 8	12.5	64	40	30	0.497
	SL3858HVN/K	0.58	60	38	58	25	8	200	8 x 8	17.1	64	50	37.5	0.589
	SL4046HVN/K	0.58	40-45	40	46	25	10	250	8 x 8	17.8	64	50	37.5	0.497
	SL4347HVN/K	0.58	Glutton	43	47	25	8	200	8 x 8	15.7	64	50	37.5	0.416
Extra Heavy 0.7 mil XH	SL3036XHW-2	0.70	20-30	30	36	25	8	200	16 x 4	10.1	64	60	45	0.376
	SL3339XHW-2	0.70	33	33	39	25	6	150	16 x 4	9.0	64	60	45	0.376
	SL3858XHW-2	0.70	60	38	58	25	4	100	16 x 4	10.3	64	60	45	0.376
	SL4046XHW-2	0.70	40-45	40	46	25	4	100	16 x 4	8.6	64	60	45	0.376
	* SL4347XHW-2	0.70	Glutton	43	47	25	4	100	16 x 4	9.5	64	60	45	0.376
Extra Heavy XH	SL2432XHW	0.50	12-16	24	32	50	10	500	8 x 8	12.8	64	35	30	0.497
	SL3036XHW	0.80	20-30	30	36	25	8	200	16 x 4	11.6	64	60	45	0.300
	SL3339XHW	0.80	33	33	39	25	6	150	16 x 4	10.3	64	60	45	0.300
	SL3858XHW	0.80	60	38	58	25	4	100	16 x 4	11.8	64	65	50	0.322
	SL4046XHW	0.80	40-45	40	46	25	4	100	16 x 4	9.8	64	65	50	0.322
	* SL4347XHW	0.80	Glutton	43	47	25	4	100	16 x 4	10.8	64	65	50	0.322

N ~ Natural Film; K ~ Black Film; W ~ White Film

LLDPE Institutional Trash Can Liners

	Product Name	Thickness (mil)	Capacity (gallon)	Width (inch)	Length (inch)	Bags / Roll	Rolls / Case	Bags / Case	Case/Pkts x layer	Wt./Case (lbs.)	Cases / Pallet	Dry Weight Capacity (lbs.)	Wet Weight Capacity (lbs.)	Cs Cube (cubic ft.)
Extra Heavy Plus XH+	SL3036XPK	0.9	20-30	30	36	25	8	200	16 x 4	13.0	64	70	52.5	0.497
	SL3339XPK	0.9	33	33	39	25	6	150	16 x 4	11.6	64	70	52.5	0.300
	SL3858XPK	0.9	60	38	58	25	4	100	8 x 8	13.3	64	85	65	0.322
	SL4046XPK	0.9	40-45	40	46	25	4	100	16 x 4	11.1	64	85	65	0.322
	SL4347XPK	0.9	Glutton	43	47	25	4	100	8 x 8	12.2	64	85	65	0.322
Super Plus* SP	SLW3339SPK/W/NS	1.15	33	33	39	25	6	150	8 x 8	14.8	64	90	67.5	0.612
	SLW3858SPK/W	1.15	60	38	58	25	4	100	8 x 8	16.9	64	90	67.5	0.612
	SLW3858SPNS	1.15	60	38	58	20	5	100	8 x 8	16.9	64	90	67.5	0.612
	SLW4046SPK	1.15	40-45	40	46	25	4	100	8 x 8	14.1	64	90	67.5	0.494
	SLW4046SPNS	1.15	40-45	40	46	20	5	100	8 x 8	14.1	64	90	67.5	0.494
	SLW4347SPK/NS	1.15	Glutton	43	47	20	5	100	8 x 8	15.5	64	90	67.5	0.494
Super Heavy* SH	SLW3339SHK	1.4	33	33	39	25	5	125	8 x 8	15.1	64	100	75	0.902
	SLW3858SHK	1.4	60	38	58	20	5	100	8 x 8	20.6	64	100	75	0.612
	SLW4046SHK	1.4	40-45	40	46	25	5	125	8 x 8	21.5	64	100	75	0.741
	SLW4347SHK	1.4	Glutton	43	47	20	5	100	8 x 8	18.9	64	100	75	0.741
Drum	SL3863N-1	1.9	Drum	38	63	25	2	50	12 x 6	15.2	72	105	80	0.416
Hospital	SL2423R	1.3	7-10	24	23	25	10	250	16 x 4	12.0	64	100	75	0.497
	SL2432R	1.3	12-16	24	32	25	10	250	8 x 8	16.7	64	100	75	0.497
	SL3036R	1.3	20-30	30	36	20	10	200	8 x 8	18.8	64	100	75	0.612
	SL3339R	1.3	33	33	39	25	6	150	8 x 8	16.8	64	100	75	0.612
	SL4046R	1.3	40-45	40	46	20	5	100	8 x 8	16.0	64	100	75	0.497


N ~ Natural Film; K ~ Black Film; W ~ White Film

R ~ Red Hospital Liner with 1 color / 1 side random printing. Meets U.S. Department of Transportation and Florida state requirements.

Hospital liners are manufactured to meet rigid, current state and federal government guidelines and are tested for load capacity, seal integrity and then rated for liquid and dry load capacities. Hospital liners meet 165 gram dart impact and 480 grams of tear strength, in accordance with ASTM standards.

Advantages to Our Institutional Can Liners:


- Prime resins used for superior quality.
- Compact coreless interleaved rolls used for effortless bag dispensing.
- Source reducing product to promote environmental sensitivity.
- Star seal bottom for even weight distribution and easy removal from a receptacle.
- Comprehensive line for all applications, including business, industry and healthcare.



Clean white clamshell box with perforation for easy dispensing.



Coreless interleaved roll for easy dispensing.



Star Seal bottom for equal weight distribution.

Special Requests

Upon request, can liners are also available in custom colors, sizes and gauges by special quotation (6,500 lbs. minimum order quantity, which is almost equivalent to 6 pallets).

Items marked with "*" are subject to inventory availability: We will ship upon demand within our standard production lead time.


Draw-Tuff® Institutional Draw Tape Can Liners

	Product Name	Thickness (mil)	Capacity (gallon)	Width (inch)	Length (inch)	Bottom Gusset	Film Color	Printing Logo	Bags / Roll	Rolls / Case	Bags / Case	Weight/Case (lbs.)	Cases / Pallet	Cs Cube (cubic ft.)
Industrial/Janitorial	DT12GALW	0.7	12	24	28	None	White	Non-print	25	12	300	10.6	32	0.494
	DT32GALW/N/K	0.8	32	33	38	None	White, Natural, or Black	Non-print	25	6	150	10.4	32	0.503
	DT44GALW/N/K	1	44	36.5	42.5	2		Non-print	25	4	100	11.0	32	0.503
	DT55GALW/N/K	1	55	40.5	42.5	3		Non-print	25	4	100	12.5	32	0.503
Drumliner	DT55DRUM	1.9	55	35.5	42.5	3	Natural	Non-print	10	5	50	10.4	32	0.494
Foodservice	DTS2838K	1	23	28.5	38	None	Black	Non-print	25	6	150	11.2	32	0.494
	DTS2838N	1	23	28.5	38	None	Natural	Non-print	25	6	150	11.2	32	0.494
Hospital *	DTH4042R	1.4	40	40	42.5	None	Red	Infectious	25	4	100	16.4	32	0.741
	* DTH3040B	1	30	30.5	40	None	Blue	Soil Linen	25	8	200	16.7	32	0.612
	* DTH4042B	1	40	40	42.5	None	Blue	Soil Linen	25	6	150	17.4	32	0.741
Contractor	DTC2431K	1.4	10 - 15	24	31	None	Black	Non-Print	25	8	200	14.5	32	0.612
	DTC3338K	1.4	33	33	38	None	Black	Non-Print	25	6	150	18.0	32	0.741
	DTC3742K	1.4	44	37	42.5	None	Black	Non-Print	25	6	150	22.4	32	0.902
	* DTC4045K	1.4	55	40.5	42.5	3	Black	Non-Print	25	4	100	17.4	32	0.612
	DTGLUTK	1.4	Glutton	46	42.5	None	Black	Non-Print	25	4	100	18.8	32	0.612
Motel *	DTM1921W	1	N/A	19	21	None	White	Thank You	50	10	500	14.6	32	0.612
Highway *	DTL3742G	1.5	44	37	42.5	None	Orange	Non-Print	25	4	100	16.0	32	0.612


W ~ White; N ~ Natural (with black draw tape); K ~ Black (with white draw tape)
 R ~ Red; B ~ Blue (with white draw tape); G ~ Orange (with white draw tape)

- Popular sizes are designed for the health care industry with three-language printing: English/Spanish/French.
- 1 color, 1 side random printing on each bag.
- Super strong liners are manufactured from 100% LLDPE premium resins.
- Liners are environmentally safe for incineration.
- LLDPE and biohazard liners meet or exceed all requirements for U.S. Department of Transportation.


Draw-Tuff® Features:




1. Interleave coreless roll dispensing means no tearing is required




2. Easy to fill to the top



3. Pull draw tape



4. Secure draw tape to close



5. Strong draw tape handle for easy lifting and carrying.

- No need to knot liner — bag will fit container perfectly.
- All liners are interleaved for easy one-at-a-time dispensing.
- Liners are side welded to prevent leakage with no seal on the bottom.
- Liners are co-extruded for added strength.
- Space saver packaging reduces freight costs, allows easy dispensing directly from carton.

Custom Draw-Tuff® Production Capability

Width (inch)	Length (inch)	Gauge (mil)	Printing	Tape Colors Available
10" ~ 59"	18" ~ 42.5"	.71 ~ 2.5	For non-print and random print	White, Black, Yellow, Red
Call for quotation	18" ~ 42.5"	.71 ~ 2.5	Full page registered print	White, Black, Yellow, Red

Upon request, DRAW-TUFF® can liners are also available in custom colors and sizes by special quotation.

Other Inteplast Products:

T-Shirt & Produce Bags

Retail & Merchandise Bags

Food Service Products



INTEPLAST GROUP, LTD.

INTEGRATED BAGGING SYSTEMS DIVISION

TRUST IN ONE NAME

Corporate Offices:

9 Peach Tree Hill Road, Livingston, New Jersey 07039

Tel: (800) 896-3222 Fax: (888) 740-2500

Email: info@ibsbags.com

Website: www.ibsbags.com

Plant Location:

101 Inteplast Blvd., Lolita, Texas 77971

ISO 9001: 2000 Certified

October 2007

©2006 Inteplast Group Ltd. All Rights Reserved